

TIMEMORE
BLACK MIRROR BASIC 2


COMPATIBLE FOR BOTH
ESPRESSO & POUR-OVER

More Responsive | Flow Rate | Off Button







Flow Rate




On Off Button




Textured Button



LED Screen



Timing Weighing



TYPE-C Charge


Black and white Minimalist Design Light luxury and simplistic

TIMEMORE Aesthetic design to create an extraordinary pour-over experience



Updated chip for updated Performance

We improved and redesigned the whole chip and PCB structure to make it more accurate and more responsive.



0.1g high precision and faster responsiveness

Built-in high-precision pressure sensor with accuracy up to 0.1g To make sure accurate pour-over (error $\pm 2g$ per 1000g)

MIN: 0.5g

MAX: 2.0KG



High-capacity lithium battery 24-hour battery life guarantee

Selected quality, rigorous tests, Long durability

Built-in 1600mAh high-capacity lithium battery

24 hrs of long-lasting battery

Updated Physical On/Off switch to shut down thoroughly

1600mAh

High-capacity

24Hrs

Long standby

3min

Auto-shutdown


Type-C USB

Easy charge



Upgraded textured buttons

Make sure you can press correctly
regardless of orientation during operation textured



On/Off switch to reduce power loss

A more considerate design helps
save power and extend standby time



Updated auto-brewing mode

Press the timing key several times continuously
till A shows to turn on auto-brewing mode



Hidden LED screen with simplicity Backlight display to read easily

It's minimal and clean design with no screens which is a clean matte black finish top. LED backlight display make sure you can easily read data at any time



Waterproof and heat-resistant Silicone pad

Keep your scale from water stains and high temperature



Warning:

Kindly use the silicone pad when you weigh hot object to make sure the accurate measurement. The sensor may get affected in high temperature.



product parameters

Name: Black Mirror Basic2 Coffee Weighing Panel

NW: 380g



Range: 0.5-2KG max

Battery: 1600mAh

Size: 152mmX130mmX26mm

Accuracy: 0.1g (start from 0.5g to activate the weighing function)

Accessories: Silicone Pad, Type-C charging cable, manual





☰ 12:21
258.5g

300g








Remark:

Please remove 4 protection white silicone sheets and the STICKER before use.

The data might be effected if you don't remove.

MORE TIME FOR COFFEE LIFE



- 1** Power/Tare Button: Press to power on
Quick press to tare
Long press to power off
- 2** Timer Button: Quick press to start/pause timing
Long Press for 1 second to reset timer
Long Press for 5 seconds to turn on/off the beep
Press 5 times in a row to turn on/off Auto Timer mode
- 3** Timing: Shows time up to 59m 59s
- 4** Weight: Shows weight up to 2kg
- 5** Flow rate: Record the speed of flow per second
- 6** Battery indicator: Shows remaining power
- 7** Sound indicator
- 8** Auto timer indicator
- 9** Unit indicator: To switch the unit between gram and ounce, quick press the power button 6 times after it's zeroed.

Auto Timer Mode

You must be in Normal mode to change to Auto Timer mode!



To activate Auto Timer mode, quick press TIMER button for 5 times in a row until you hear the beep. When the Auto Timer Mode is activated, the auto timer indicator will light up.



Place brewing equipment on the scale and add the ground coffee. Quick press the timer button once and the display will start counting down from 3.



After counting down, the time will display [--:--] while weight will display [0.0]. When you start pouring water, the scale will detect the flow and automatically start the timer function.
Noted: only if it records more than 40s, the timer will stop automatically.



If you place the brewing equipment back on the scale after a short break, quick press the timer button to continue recording the time and weight. Quick press the timer button again to stop. Long press the timer button to clear the display and start a new pour over.

NOTICE:

1. Adaptors with fast charging functions are prohibited. Adaptors of 5v, 1A-2A are recommended for charging.
2. Place the scale on a stable and vibration free surface at a horizontal location.
3. Do not use during charging.
4. If the device hasn't been used for too long, the battery may not get charged due to low power. Kindly charge it to a USB port on your computer with low-current charging method. When it gets aroused, then charge normally with an adaptor.
5. When Timer function is off, the scale will automatically shut down after idling for 3 mins. When Timer function is on, the scale will automatically shut down after idling for 15 mins.
6. The surface of the scale is waterproof. But DO NOT make liquid enter the gap between shells and charging port. Please do not soak it in water.
7. DO NOT attempt to open the unit to fix or repair it.
8. This product is covered by a One-Year Limited Warranty. Attempts to take apart of the unit will void the warranty
9. It is an accessory for coffee brewing. DO NOT use it for trade settlement and other occasions.